

2024

FENDT

CARAVAN



APERIO • BIANCO • TENDENZA • DIAMANT

www.fendt-caravan.com

2024

CONTENTS

- 04 **APER0** – Experience a trendy lifestyle
- 18 **BIANCO** – A wide selection to feel great in
- 32 **TENDENZA** – Modern trendsetter on the go
- 46 **DIAMANT** – Unique in every way
- 60 **A unique exterior**
- 64 **Standard equipment – undercarriage/chassis, exterior bodywork**
- 65 **Overview of beds**
- 66 **Fendt Caravan: Master Quality**
- 78 **Customised accessories**
- 80 **Dimensions and weights of all series**
- 83 **Explanation of symbols**



APER0 • BIANCO • TENDENZA • DIAMANT

EXPERIENCE A TRENDY LIFESTYLE



APER0





495 SG / Sunset



495 SFB / Sunset


APERERO



APERRO



495 SFB



515 SG





465 SFB

495 SG



465 SFB



495 SFB

APERÓ – QUALITY IN SERIES

Living room/sleeping area

- Furniture in "Norfolk decor"
- "Spring" or "Sunset" upholstery variants
- LED lighting
- Ceiling lamp (LED/12 V) with 1 circuit
- Folding sliding door
- Clothes rack in the sleeping area*
- Lifting table in the round seating suite*
- Indirect lighting (LED)
- Slatted frames with fully flexible and permanently elastic bridged joints and hardness adjustment (single and double beds)
- Reading spotlights (12 V) in the round seating suite*
- Reading spotlights (12 V) in the sleeping area
- Lift-O-Mat (single and double beds)
- Mattresses: interior-sprung (single and double beds)
- MINI/MIDI roof hood (Dometic) with crank, forced ventilation, integrated blackout pleated blind and roller fly screen
- Ergonomically shaped back padding
- High-density seat upholstery
- Ventilated storage compartments with indirect ceiling lighting (LED)
- Carpet in the door sill with the Fendt-Caravan logo
- Vinyl flooring, hard-wearing, easy to care for
- Winter backrests

Kitchen/bathroom

- Waste collector integrated into the entrance door
- Workplace lighting (LED)
- Bathroom lighting (LED/12 V)
- Cutlery inserts with a soft-touch surface
- Shower cubicle*
- Towel/clothes hooks and toilet paper holder *
- Cooker (3-burner) with ignition fuse, automatic ignition, matt-enamelled cooking grate, glass cover, and separate stainless steel sink with glass cover
- Comfort pleated roller blind on the kitchen window
- Kitchens with large drawers*
- Absorption refrigerator (98 l when freezer compartment is removed) that can be opened from both sides, with interior lighting*
- Absorption refrigerator (133 l when freezer compartment is removed), slim tower, that can be opened from both sides, with interior lighting*
- Kitchen mixer tap made of plastic
- Central washrooms* with large wall units, generous shelves under the sink and an illuminated mirror
- Mirror cabinet in the open bathroom*
- Flush toilet with diode level indicator and holding tank (rollable)*
- Kitchen storage compartments with soft-close hinges
- Washbasin in white with shelves, bathroom cabinet and illuminated mirror
- Washroom window, hinged, made of frosted glass with blackout roller blind and roller fly screen

Water

- Mobile waste water tank (24 L)
- Fresh water (fixed tank 10⁰/25⁰ litres) with external filling *
- Fresh water (fixed tank 10⁰/45⁰ litres) with external filling *
- Fresh water level indicator
- Truma-Therme 230 V water heating with mixer tap

Multimedia

- TV cabling (230 V socket)

Technology/heating/air conditioning

- Truma S 3004 and S 5004 gas heaters with automatic ignition*
- Smoke detector
- Switch on the entrance door for the ceiling light and awning light
- Switching power supply 350 W
- Fuse box (230 V) with residual current device (safety switch)
- Spotlight(s) (LED/12 V)
- 230 V sockets
- USB double socket(s)
- Warm air system with fan (1 x 12 V) *
- Warm air system with fan (2 x 12 V) *

* certain models only

For an explanation of the symbols, see page 83





465 SFB

Total length	cm	703
Total width	cm	232
Sleeping spaces		4
Technically permitted total mass	kg	1500 ^{g)}
Mass in running order	kg ^{c)}	1279



465 TG

Total length	cm	703
Total width	cm	232
Sleeping spaces		4
Technically permitted total mass	kg	1500 ^{g)}
Mass in running order	kg ^{c)}	1280



495 SFB

Total length	cm	722
Total width	cm	232
Sleeping spaces		4
Technically permitted total mass	kg	1600 / 1700 ^{h) g)}
Mass in running order	kg ^{c)}	1354



495 SG

Total length	cm	722
Total width	cm	232
Sleeping spaces		4
Technically permitted total mass	kg	1600 / 1700 ^{h) g)}
Mass in running order	kg ^{c)}	1368



495 SKM

Total length	cm	722
Total width	cm	232
Sleeping spaces		5
Technically permitted total mass	kg	1600 / 1700 ^{h) g)}
Mass in running order	kg ^{c)}	1367



515 SG

Total length	cm	751
Total width	cm	232
Sleeping spaces		4
Technically permitted total mass	kg	1600 / 1700 ^{h) g)}
Mass in running order	kg ^{c)}	1405



New layout

560 SKM

Total length	cm	772
Total width	cm	250
Sleeping spaces		5
Technically permitted total mass	kg	1700 ^{g)}
Mass in running order	kg ^{c)}	1510

Dimensions and weights of all model ranges and models from page 80
Explanation of the symbols on page 83



Scan QR code
to watch a film about the Apero

APERERO

LAYOUTS AND DIMENSIONS

A WIDE SELECTION TO FEEL GREAT IN



BIANCO






Activ 550 KMG / Almeria



Activ 550 KMG / Almeria



Activ 515 SGD / Manerba

BIANCO

24




Activ 550 KMG

Activ 550 KMG

25



Activ 515 SGD



Activ 550 KMG

BIANCO



Selection 515 SG



Activ 550 KMG



Activ 465 SFH



Activ 515 SGD

BIANCO



Activ 550 KMG



Activ 465 SFH



Activ 515 SGD

BIANCO – QUALITY IN SERIES

Living room/sleeping area

- Furniture in "Tiberino decor"
- "Almeria" or "Manerba" upholstery variants
- LED lighting
- Ceiling lamp (LED/12 V) with 2 circuits
- Folding sliding door*
- Clothes rack in the sleeping area*
- Lifting table in the round seating suite*
- Indirect lighting (LED)
- Slatted bed base with fully flexible and permanently elastic bridged joints and hardness adjustment (single and double beds)
- Reading spotlights (12 V) in the round seating suite*
- Reading spotlights (12 V) in the sleeping area
- Lift-O-Mat (single and double beds) **
- Mattresses: interior-sprung (single and double beds) **
- MINI/MIDI roof hood (Dometic) with crank, forced ventilation, integrated blackout pleated blind and roller fly screen */**
- Ergonomically shaped back padding
- High-density seat upholstery
- Ventilated storage compartments with indirect ceiling lighting (LED)
- Carpet in the door sill with the Fendt-Caravan logo
- Vinyl flooring, hard-wearing, easy to care for
- Winter backrests

Kitchen/bathroom

- Waste collector integrated into the entrance door*
- Workplace lighting (LED)
- Oven with grill (gas)***
- Bathroom lighting (LED/12 V)
- Cutlery inserts with a soft-touch surface
- Shower cubicle*
- Towel/clothes hooks and toilet paper holder*
- Stove with safety pilot and automatic ignition (3-burner) ***
- Cooker (3-burner) with ignition fuse, automatic ignition, matt-enamelled cooking grate, glass cover, and separate stainless steel sink with glass cover *
- Comfort pleated roller blind on the kitchen window *
- Kitchens with large drawer*
- Absorption refrigerator (98 l when freezer compartment is removed) that can be opened from both sides, with interior lighting*
- Absorption refrigerator (133 l when freezer compartment is removed), slim tower, that can be opened from both sides, with interior lighting*
- Brass mixer tap
- Central washrooms* with large wall units, generous shelves under the sink and an illuminated mirror
- Mirror cabinet in the open bathroom*
- Stainless steel sink with glass cover
- Flush toilet with diode level indicator and holding tank (rollable)*
- Kitchen storage compartments with soft-close hinges
- Washbasin in white with shelves, bathroom cabinet and illuminated mirror
- Washroom window, hinged, made of frosted glass with blackout roller blind and roller fly screen

Water

- Mobile waste water tank (24 L)
- Fresh water (fixed tank 10⁰/25⁰ litres) with external filling *
- Fresh water (fixed tank 10⁰/45⁰ litres) with external filling *
- Fresh water level indicator
- Truma-Therme 230 V water heating with mixer tap *

Multimedia

- TV cabling (230 V socket)

Technology/heating/air conditioning

- Truma S 3004 or S 5004 gas heaters with automatic ignition (Bianco Selection)*
- Smoke detector
- Switch on the entrance door for the ceiling light and awning light
- Switching power supply 350 W
- Fuse box (230 V) with residual current device (safety switch)
- Spotlight(s) (LED/12 V)
- 230 V sockets
- USB double socket(s)
- Warm air system with fan (1 x 12 V) (Bianco Selection)
- Hot water heating and hot water floor heating (Alde) ***

Additional standard fittings for the BIANCO ACTIV


- Truma Combi 4* or Combi 6* gas heaters with CP plus iNet ready digital control panel with air circulation and integrated hot water boiler (10-litre capacity)
- Side seat as a chest (can carry up to max 100 kg) *
- Lateral loading feature (with separate beds)*
- Increased load capacity due to reinforced chassis
- Lighting in the wardrobe with motion sensor

* certain models only ** not Activ 515 SKF *** ACTIV 720 SKDW
For an explanation of the symbols, see page 83


SELECTION



465 SFB	
Total length cm	703
Total width cm	232
Sleeping spaces	4
Technically permitted total mass kg	1500 ^{g)}
Mass in running order kg ^{c)}	1305



465 TG	
Total length cm	703
Total width cm	232
Sleeping spaces	4
Technically permitted total mass kg	1500 ^{g)}
Mass in running order kg ^{c)}	1291



515 SG	
Total length cm	751
Total width cm	232
Sleeping spaces	4
Technically permitted total mass kg	1600 / 1700 ^{h) g)}
Mass in running order kg ^{c)}	1421



515 SKM	
Total length cm	751
Total width cm	232
Sleeping spaces	5
Technically permitted total mass kg	1600 / 1700 ^{h) g)}
Mass in running order kg ^{c)}	1426



550 SKM	
Total length cm	772
Total width cm	232
Sleeping spaces	5
Technically permitted total mass kg	1700 ^{g)}
Mass in running order kg ^{c)}	1446



390 FHS	
Total length cm	603
Total width cm	232
Sleeping spaces	3
Technically permitted total mass kg	1500 ^{g)}
Mass in running order kg ^{c)}	1173



445 SFB	
Total length cm	677
Total width cm	232
Sleeping spaces	4
Technically permitted total mass kg	1500 ^{g)}
Mass in running order kg ^{c)}	1295



465 SFH	
Total length cm	703
Total width cm	232
Sleeping spaces	3
Technically permitted total mass kg	1600 / 1700 ^{h) g)}
Mass in running order kg ^{c)}	1362

ACTIV



465 SGE	
Total length cm	703
Total width cm	232
Sleeping spaces	2
Technically permitted total mass kg	1600 / 1700 ^{h) g)}
Mass in running order kg ^{c)}	1374




New layout	
515 SGD	
Total length cm	751
Total width cm	232
Sleeping spaces	3
Technically permitted total mass kg	1700 ^{g)}
Mass in running order kg ^{c)}	1420



515 SGE	
Total length cm	751
Total width cm	232
Sleeping spaces	4
Technically permitted total mass kg	1700 ^{g)}
Mass in running order kg ^{c)}	1429



515 SKF	
Total length cm	751
Total width cm	232
Sleeping spaces	5
Technically permitted total mass kg	1700 ^{g)}
Mass in running order kg ^{c)}	1461




550 KMG	
Total length cm	772
Total width cm	232
Sleeping spaces	5
Technically permitted total mass kg	1700 ^{g)}
Mass in running order kg ^{c)}	1482




550 SD	
Total length cm	772
Total width cm	232
Sleeping spaces	4
Technically permitted total mass kg	1700 ^{g)}
Mass in running order kg ^{c)}	1452

ACTIV



560 SKM	
Total length cm	772
Total width cm	250
Sleeping spaces	5
Technically permitted total mass kg	1700 ^{g)}
Mass in running order kg ^{c)}	1538



720 SKDW	
Total length cm	923
Total width cm	250
Sleeping spaces	6
Technically permitted total mass kg	2200 ^{g)}
Mass in running order kg ^{c)}	1924

BIANCO

Scan QR code to watch a film about the Bianco



LAYOUTS AND DIMENSIONS

Dimensions and weights of all model ranges and models from page 80. Explanation of the symbols on page 83

MODERN TRENDSETTER ON THE GO




DON FC 2024

TENDENZA





560 SG / Studio-Line Valencia



465 SFB / Cannes

TENDENZA



465 SFB



560 SG



560 SG

TENDENZA



560 SG



560 SG



560 SG

TENDENZA



560 SG

TENDENZA - QUALITY IN SERIES

Living room/sleeping area

- Furniture in "Noce Marche" decor
- "Cannes" or the "studio line Valencia" as upholstery variants
- Lighting in the wardrobe, with motion sensor
- LED lighting
- Ceiling lamp (LED/12 V) with 2 circuits, dimmable
- Single-leg lifting table in the round seating suite
- Folding sliding door
- Fly-screen door in the entrance area
- Clothes rack in the sleeping area
- Indirect lighting (LED)
- Slatted bed base with fully flexible and permanently elastic bridged joints and hardness adjustment (single and double beds)*
- Reading spotlights (12 V) in the round seating suite
- Reading spotlights (12 V) in the sleeping area
- Lift-O-Mat (single and double beds)
- Mattresses: comfort foam (7 zones) (single and double beds)
- MIDI roof hood (Dometic) with crank, forced ventilation, integrated blackout pleated blind and roller fly screen
- Ergonomically shaped back padding*
- Lounge-style back padding*
- High-density seat upholstery
- Ventilated storage compartments with indirect ceiling lighting (LED)
- Storage compartments with soft-close hinges
- Carpet in the door sill with the Fendt-Caravan logo
- Carpeted floor, bound at the edge and loosely laid
- Vinyl flooring, hard-wearing, easy to care for
- Winter backrests

Kitchen/bathroom

- Waste collector integrated into the entrance door
- Workplace lighting (LED)
- Oven with grill (gas)**
- Bathroom lighting (LED/12 V)
- Cutlery inserts with a soft-touch surface
- Shower cubicle*
- Towel/clothes hooks and toilet paper holder
- Stove with safety pilot and automatic ignition (3-burner)**
- Stove (3-burner) with safety pilot, automatic ignition, matt, enamelled stove grate, glass cover and separate sink with glass cover*
- Comfort pleated roller blind on the kitchen window
- Kitchens with large drawers
- Kitchen rear wall panelling with laminate decor
- Compressor refrigerator (154 l when freezer compartment is removed), slim tower, that can be opened from both sides, with interior lighting*
- Compressor refrigerator (177 l when freezer compartment is removed), slim tower, that can be opened from both sides, with interior lighting**
- Brass kitchen mixer tap*
- Central washrooms* with large wall units, generous shelves under the sink and an illuminated mirror

- Mirror cabinet in the open bathroom*
- Stainless steel sink with glass cover*
- Flush toilet with diode level indicator and holding tank (rollable) *
- Kitchen and bathroom storage compartments with soft-close hinges *
- USB double socket in the kitchen
- Washbasin with a sanitary acrylic design including shelves, bathroom cabinet and lighted mirror*
- Washbasin in stainless steel ** with shelves, bathroom cabinet and illuminated mirror
- Washroom window, hinged, made of frosted glass with blackout roller blind and roller fly screen

Water

- Mobile waste water tank (24 L)
- Fresh water (fixed tank 10⁰/25⁰ litres) with external filling *
- Fresh water (fixed tank 10⁰/45⁰ litres) with external filling *
- Fresh water level indicator

Multimedia

- TV cabling (230 V socket)

Technology/heating/air conditioning

- Truma Combi 4* or Combi 6 * gas heaters with CP plus iNET ready digital control panel with air circulation and integrated hot water boiler (10 l capacity)
- Fendt-CaravanCONNECT with app control
- Smoke detector
- Switch on the entrance door for the ceiling light and awning light
- Switching power supply 350 W
- Fuse box (230 V) with residual current device (safety switch)
- Spotlight(s) (LED/12 V)
- 230 V sockets
- USB double socket(s)
- Hot water heating and hot water floor heating (Alde)***

* certain models only ** for 650 SFD, 650 SFDW

*** for 560 SFDW, 650 SFDW

For an explanation of the symbols, see page 83



560 SFDW



465 SFB



465 SFB

Total length	cm	703
Total width	cm	232
Sleeping spaces		4
Technically permitted total mass	kg	1500 ^{g)}
Mass in running order	kg ^{c)}	1327



515 SG

Total length	cm	751
Total width	cm	232
Sleeping spaces		4
Technically permitted total mass	kg	1700 ^{g)}
Mass in running order	kg ^{c)}	1447



550 SG

Total length	cm	772
Total width	cm	232
Sleeping spaces		4
Technically permitted total mass	kg	1700 ^{g)}
Mass in running order	kg ^{c)}	1471




560 SFDW

Total length	cm	772
Total width	cm	250
Sleeping spaces		4
Technically permitted total mass	kg	1800 ^{g)}
Mass in running order	kg ^{c)}	1561



560 SG

Total length	cm	772
Total width	cm	250
Sleeping spaces		4
Technically permitted total mass	kg	1800 ^{g)}
Mass in running order	kg ^{c)}	1527



650 SFD

Total length	cm	855
Total width	cm	250
Sleeping spaces		4
Technically permitted total mass	kg	2000 ^{g)}
Mass in running order	kg ^{c)}	1728



650 SFDW

Total length	cm	855
Total width	cm	250
Sleeping spaces		4
Technically permitted total mass	kg	2200 ^{g)}
Mass in running order	kg ^{c)}	1766

Scan QR code to watch a film about the Tendenza



Dimensions and weights of all model ranges and models from page 80
Explanation of the symbols on page 83

UNIQUE IN EVERY WAY



DIAMANT





560 SGW / Faro



560 DW / Faro



Zingst leather upholstery (optional at extra cost)

650 GDW / Zingst



560 SGW / Salina

DIAMANT





DIAMANT



650 GDW



560 DW



560 SGW

DIAMANT – QUALITY IN SERIES

Living room/sleeping area

- Furniture in "Rovero Castello" decor
- "Faro" or "Salina" upholstery variants as well as "Zingst" leather upholstery (optional extra)
- Lighting (rechargeable) in the wardrobe, with motion sensor
- LED lighting
- Decorative package (2 cushions/2 placemats)
- Single-leg lifting table in the round seating suite
- Folding sliding door*
- Fly-screen door in the entrance area
- Clothes rack in the sleeping area
- Wooden sliding door*
- Indirect lighting (LED)
- Headrests in the seating suite, height adjustable
- Slatted bed base with fully flexible and permanently elastic bridged joints and hardness adjustment (single and French beds)
- Reading spotlights (12 V) in the round seating suite
- Reading spotlights (12 V) in the sleeping area
- Lift-O-Mat (single and double beds)
- Mattresses: climate-controlled comfort foam (7 zones) (single/double beds)
- MIDI roof hood (Dometic) with crank, forced ventilation, integrated blackout pleated blind and roller fly screen integrated in a Skylight panoramic roof hood
- Skylight panoramic roof hood with lighting (LED)
- Ergonomically shaped back padding
- Seat upholstery with sprung interior in comfort quality
- High-density seat upholstery
- Soft roller blinds with pleated fabric (blackout roller blind from below)
- Ventilated storage compartments with indirect ceiling lighting (LED)
- Storage compartments with soft-close hinges
- Carpet in the door sill with the Fendt-Caravan logo
- Carpeted floor, bound at the edge and loosely laid
- Vinyl flooring, hard-wearing, easy to care for
- Winter backrests

Kitchen/bathroom

- Waste collector integrated into the entrance door
- Workplace lighting (LED)
- Oven with grill (gas)
- Bathroom lighting (LED/12 V)
- Cutlery inserts with a soft-touch surface
- Shower cubicle**
- Towel/clothes hooks and toilet paper holder
- Stove with safety pilot and automatic ignition (3-burner)
- Comfort pleated roller blind on the kitchen window
- Kitchens with large drawers
- Backlit kitchen rear wall panelling in a glass look

- Compressor refrigerator (154 l when freezer compartment is removed), slim tower, that can be opened from both sides, with interior lighting*
- Compressor refrigerator (177 l when freezer compartment is removed), slim tower, that can be opened from both sides, with interior lighting*
- Brass mixer tap
- Central washrooms* with large wall units, generous shelves under the sink and an illuminated mirror
- Stainless steel sink with glass cover
- Flush toilet with diode level indicator and holding tank (rollable)
- Kitchen and bathroom storage compartments with soft-close hinges *
- Washbasin with a sanitary acrylic design * including shelves, bathroom cabinet and lighted mirror
- Washroom window, hinged, made of frosted glass with blackout roller blind and roller fly screen

Water

- Mobile waste water tank (24 L)
- Fresh water (fixed tank 10^o/45^o litres) with external filling
- Fresh water level indicator

Multimedia

- Sky TV bracket with articulated arm
- TV cabling (230 V socket)

Technology/heating/air conditioning

- Fendt-CaravanCONNECT with app control
- Smoke detector
- Switch on the entrance door for the ceiling light and awning light
- Switching power supply 350 W
- Fuse box (230 V) with residual current device (safety switch)
- Spotlight(s) (LED/12 V)
- 230 V sockets
- USB double socket(s)
- Hot water heating and hot water floor heating (Alde)

* Certain models only ** for 560 DW and 650 GDW
For an explanation of the symbols, see page 83



560 DW

Total length cm	771
Total width cm	250
Sleeping spaces	4
Technically permitted total mass kg	1900 / 2000 ^{h) g)}
Mass in running order kg ^{e)}	1679



560 SGW

Total length cm	771
Total width cm	250
Sleeping spaces	4
Technically permitted total mass kg	1900 / 2000 ^{h) g)}
Mass in running order kg ^{e)}	1673



650 GDW

Total length cm	860
Total width cm	250
Sleeping spaces	4
Technically permitted total mass kg	2200 ^{g)}
Mass in running order kg ^{e)}	1948

Scan QR code to watch a film about the Diamant



Dimensions and weights of all model ranges and models from page 80
Explanation of the symbols on page 83



You can always recognise a Fendt Caravan from the moment you lay eyes on it.

They are characterised by easy to maintain and durable surfaces, elegant designs, flat windowpanes all round, and their modern décor. But the Diamant stands out with its exclusive tail end.

EXTERIOR DESIGN 2024



DIAMANT



EXTERIOR DESIGN 2024

Chassis

- "White" overrun device cover
- Black polished alloy wheels
- Brake AAA, self-adjusting (AL-KO)
- "White" drawbar cover
- Euro axle system (AL-KO)
- Low-profile tyres
- Automatic reversing
- Safety coupling AKS 3004 (AL-KO)
- Galvanised stable-form corner steadies
- Galvanised stable-form corner steadies with "Big-Foot" (AL-KO)
- Shock absorber
- Jockey wheel with load indicator
- System lightweight chassis, fully galvanised (AL-KO)
- Extended crank supports
- Approval for 100 km/h

Exterior body

- Exterior storage flap
- Double-glazed, tinted hinged windows that can be operated with one hand and combined fly-screen/blackout roller blind
- Brake lights integrated in upper position lights
- Entrance door with integrated and insulated access, waste collector and storage, tinted window and pleated blackout blind in the upper entrance door area
- Bottle crate lid with gas-pressure damper, three-point locking
- Fly-screen door in the entrance area
- Front part partly with LFI technology
- Rear part partly with LFI technology
- Awning rail with lighting on the door side
- Rear fog lamp(s)
- "Skylight" panoramic roof hood with lighting (LED)
- Wheel housings, fully insulated
- Manoeuvring handles, ergonomic and stable, at the front and rear
- Reversing lights (2 pieces)
- Sandwich construction
- Awning light (LED), switched twice
- Water tank filler cap with retaining strap
- Central locking system
- Forced ventilation according to EN standard 1645-1

	APERRO	BIANCO	TENDENZA	DIAMANT
• "White" overrun device cover	•	•	•	•
• Black polished alloy wheels	•	•	•	•
• Brake AAA, self-adjusting (AL-KO)	•	•	•	•
• "White" drawbar cover	•	•	•	•
• Euro axle system (AL-KO)	•	•	•	•
• Low-profile tyres	•	•	•	•
• Automatic reversing	•	•	•	•
• Safety coupling AKS 3004 (AL-KO)	•	•	•	•
• Galvanised stable-form corner steadies	•	•	•	•
• Galvanised stable-form corner steadies with "Big-Foot" (AL-KO)	•	•	•	•
• Shock absorber	•	•	•	•
• Jockey wheel with load indicator	•	•	•	•
• System lightweight chassis, fully galvanised (AL-KO)	•	•	•	•
• Extended crank supports	•	•	•	•
• Approval for 100 km/h	•	•	•	•
• Exterior storage flap	•	•	•	•
• Double-glazed, tinted hinged windows that can be operated with one hand and combined fly-screen/blackout roller blind	•	•	•	•
• Brake lights integrated in upper position lights	•	•	•	•
• Entrance door with integrated and insulated access, waste collector and storage, tinted window and pleated blackout blind in the upper entrance door area	•	• *	•	•
• Bottle crate lid with gas-pressure damper, three-point locking	•	•	•	•
• Fly-screen door in the entrance area	•	•	•	•
• Front part partly with LFI technology	•	•	•	•
• Rear part partly with LFI technology	•	•	•	•
• Awning rail with lighting on the door side	•	•	•	•
• Rear fog lamp(s)	•	•	•	•
• "Skylight" panoramic roof hood with lighting (LED)	•	•	•	•
• Wheel housings, fully insulated	•	•	•	•
• Manoeuvring handles, ergonomic and stable, at the front and rear	•	•	•	•
• Reversing lights (2 pieces)	•	•	•	•
• Sandwich construction	•	•	•	•
• Awning light (LED), switched twice	•	•	•	•
• Water tank filler cap with retaining strap	•	•	•	•
• Central locking system	•	•	•	•
• Forced ventilation according to EN standard 1645-1	•	•	•	•


• standard
* certain models only




12-year warranty

For the imperviousness of the structural connections
This warranty is only valid in connection with the annual, fee-based inspection carried out at your authorised Fendt Caravan dealer


Layouts with children's bed or bunk bed




Layouts with French bed



Layouts with single beds





First and foremost, our quality is due to people and materials.

Ever since it began producing mobile homes, Fendt Caravan has attached great importance to a product which is perfect in every respect.

Our well-trained and highly motivated employees ensure that our modern production halls manufacture high-quality mobile homes with a long service life.

From the exterior to the interior design, all the production steps work as a seamless unit. Starting right at the planning stage, our purchasing department sources the best possible materials from long-standing brand suppliers.

That's why our quality sets new standards time and again, consistently satisfying customers who are pursuing their passion for caravanning.

MASTER QUALITY



Furniture construction of master quality



APERIO • BIANCO • TENDENZA • DIAMANT



A wealth of ideas for appropriate home furnishings



Fendt Caravans are planned and perfectly finished down to the smallest detail.

APERIO • BIANCO • TENDENZA • DIAMANT



Enchanting bedroom combinations of the highest quality

Comfortable beds and atmospheric rest areas make an important contribution to personal well-being. Our solutions win people over time and again.



APERIO • BIANCO • TENDENZA • DIAMANT



Good craftsmanship also pays dividends in the kitchen

User-friendly cooking areas with high-quality, brand-name appliances offer you every option for the very best camping kitchen experience.



APERIO • BIANCO • TENDENZA • DIAMANT



Aesthetic bathroom areas with a sophisticated design

Fendt Caravan washrooms are designed and built for users. We make them as spacious and as easy to clean as possible, and just as hygienic as in your own home.



APERIO • BIANCO • TENDENZA • DIAMANT



*Bicycle rack for the drawbar (Thule) **



*ATC 2.0 trailer control **



*Truma Mover Smart A manoeuvring assistant **



Combi 4 E or 6 E heaters* (only possible as an optional extra with Combi 4 and Combi 6 as the basic equipment)*



*Air conditioning **



*Truma DuoControl CS gas pressure regulator **



*Fullstop mechanical anti-theft protection **



*Maxview VuQube Auto II fully automatic satellite system **



"Sky" TV bracket (as standard in the Diamant)*



*External gas outlet **



*Universal awning outlet **



*City water connection **

A selection of our additional equipment *

With an extensive range of equipment options, a Fendt Caravan can be customised to your needs or special requirements.

This extensive range of equipment options allows you to tailor your mobile home exactly to your requirements.

Please consult with our authorised specialist dealers for the best options. There is also a wide range of complete packages, including for special requirements.

* These are additional or special equipment options that are subject to a surcharge

ACCESSORIES

APERO

	465 SFB	465 TG	495 SFB	495 SG	495 SKM	515 SG	560 SKM
Total length cm	703	703	722	722	722	751	772
Body length cm	589	589	607	607	607	637	657
Usable length cm	507	507	526	526	526	556	576
Total width cm	232	232	232	232	232	232	250
max. Height cm	266	266	266	266	266	266	266
Headroom cm	198	198	198	198	198	198	198
Sleeping spaces	4	4	4	4	5	4	5
Bed surface at front cm	140 x 200	2 x 85 x 200	140 x 205	112/116 x 210	140 x 208	1x85x190/1x85x200	160 x 200
Bed surface at rear cm	144/141 x 210	127/115 x 210	157/132 x 210	1x85x190/1x85x200	80 x 210	136/141 x 210	75 x 192
Bed surface in middle cm	-	-	-	-	96 x 179	-	110/117 x 200
Bunk bed surface cm	-	-	-	-	72 x 202	-	75 x 190
Technically permitted total mass kg	1500 ^{a)}	1500 ^{a)}	1600 / 1700 ^{b) a)}	1600 / 1700 ^{b) a)}	1600 / 1700 ^{b) a)}	1600 / 1700 ^{b) a)}	1700 ^{a)}
Dead weight kg ^{b)}	1231	1232	1306	1320	1319	1357	1470
Basic equipment kg ^{a)}	48	48	48	48	48	48	40
Mass in running the road kg ^{c)}	1279	1280	1354	1368	1367	1405	1510
Vehicle load capacity kg ca.	221	220	246 / 346 ^{b)}	232 / 332 ^{b)}	233 / 333 ^{b)}	195 / 295 ^{b)}	190
Floor/roof/wall thickness mm	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31
Tyres ⁱ⁾	205/65 R 15	205/65 R 15	195/70 R 15 C	195/70 R 15 C	195/70 R 15 C	195/70 R 15 C	195/70 R 15 C
Single/tandem axle	1	1	1	1	1	1	1
Awning circumference cm ^{v)}	962	962	982 ^{p)}	982 ^{p)}	982 ^{p)}	1017 ^{n) r)}	1029 ^{o) s)}

BIANCO ACTIV

	390 FHS Activ	445 SFB Activ	465 SFH Activ	465 SGE Activ	515 SGD Activ	515 SGE Activ
Total length cm	603	677	703	703	751	751
Body length cm	488	562	589	589	637	637
Usable length cm	407	481	507	507	556	556
Total width cm	232	232	232	232	232	232
max. Height cm	266	266	266	266	266	266
Headroom cm	198	198	198	198	198	198
Sleeping spaces	3	4	3	2	3	4
Bed surface at front cm	140 x 200	140 x 210	130/118 x 210	2 x 85 x 200	1x85x195/1x85x200	140/121 x 210
Bed surface at rear cm	106/87 x 193	137/133 x 210	140 x 200	-	-	2 x 85 x 200
Bed surface in middle cm	-	-	-	-	101/87 x 190	-
Bunk bed surface cm	-	-	-	-	-	-
Technically permitted total mass kg	1500 ^{a)}	1500 ^{a)}	1600 / 1700 ^{b) a)}	1600 / 1700 ^{b) a)}	1700 ^{a)}	1700 ^{a)}
Dead weight kg ^{b)}	1120	1242	1309	1321	1375	1376
Basic equipment kg ^{a)}	53	53	53	53	45	53
Mass in running the road kg ^{c)}	1173	1295	1362	1374	1420	1429
Vehicle load capacity kg ca.	327	205	238 / 338 ^{b)}	226 / 326 ^{b)}	280	271
Floor/roof/wall thickness mm	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31
Tyres ⁱ⁾	205/65 R 15	205/65 R 15	195/75 R 15 C	195/70 R 15 C	195/70 R 15 C	195/70 R 15 C
Single/tandem axle	1	1	1	1	1	1
Awning circumference cm ^{v)}	864	934	969	969	1017 ^{n) r)}	1017 ^{n) r)}

BIANCO SELECTION

	465 SFB Selection	465 TG Selection	515 SG Selection	515 SKM Selection	550 SKM Selection
Total length cm	703	703	751	751	772
Body length cm	589	589	637	637	657
Usable length cm	507	507	556	556	576
Total width cm	232	232	232	232	232
max. Height cm	266	266	266	266	266
Headroom cm	198	198	198	198	198
Sleeping spaces	4	4	4	5	5
Bed surface at front cm	140 x 200	2 x 85 x 200	1x85x190/1x85x200	140 x 208	140 x 200
Bed surface at rear cm	144/142 x 210	125/116 x 210	142/134 x 210	80 x 210	80 x 210
Bed surface in middle cm	-	-	-	96 x 195	100 x 185
Bunk bed surface cm	-	-	-	72 x 202	72 x 202
Technically permitted total mass kg	1500 ^{a)}	1500 ^{a)}	1600 / 1700 ^{b) a)}	1600 / 1700 ^{b) a)}	1700 ^{a)}
Dead weight kg ^{b)}	1257	1243	1373	1378	1398
Basic equipment kg ^{a)}	48	48	48	48	48
Mass in running the road kg ^{c)}	1305	1291	1421	1426	1446
Vehicle load capacity kg ca.	195	209	179 / 279 ^{b)}	174 / 274 ^{b)}	254
Floor/roof/wall thickness mm	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31
Tyres ⁱ⁾	205/65 R 15	205/65 R 15	195/70 R 15 C	195/70 R 15 C	195/70 R 15 C
Single/tandem axle	1	1	1	1	1
Awning circumference cm ^{v)}	962	962	1017 ^{n) r)}	1017 ^{n) r)}	1030

BIANCO ACTIV

	515 SKF Activ	550 KMG Activ	550 SD Activ	560 SKM Activ	720 SKDW Activ
Total length cm	751	772	772	772	923
Body length cm	637	657	657	657	809
Usable length cm	556	576	576	576	727
Total width cm	232	232	232	250	250
max. Height cm	266	266	266	266	265
Headroom cm	198	198	198	198	198
Sleeping spaces	5	5	4	5	6
Bed surface at front cm	140 x 210	1x85x190/1x85x200	140/121 x 210	140 x 200	153/151 x 218
Bed surface at rear cm	80 x 210	80 x 210	140 x 200	75 x 192	80 x 230
Bed surface in middle cm	96 x 210	96 x 179	-	110/117 x 200	150 x 205
Bunk bed surface cm	72 x 202	72 x 202	-	75 x 190	72 x 212
Technically permitted total mass kg	1700 ^{a)}	1700 ^{a)}	1700 ^{a)}	1700 ^{a)}	2200 ^{a)}
Dead weight kg ^{b)}	1408	1429	1407	1493	1879
Basic equipment kg ^{a)}	53	53	45	45	45
Mass in running the road kg ^{c)}	1461	1482	1452	1538	1924
Vehicle load capacity kg ca.	239	218	248	162	276
Floor/roof/wall thickness mm	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31
Tyres ⁱ⁾	195/70 R 15 C	195/70 R 15 C	195/70 R 15 C	195/70 R 15 C	195/65 R 15
Single/tandem axle	1	1	1	1	2
Awning circumference cm ^{v)}	1017 ^{n) r)}	1030	1030	1029 ^{o) s)}	1200 ^{t)}

TENDENZA

	465 SFB	515 SG	550 SG	560 SFDW	560 SG	650 SFD	650 SFDW
Total length cm	703	751	772	772	772	855	855
Body length cm	589	637	657	657	657	741	741
Usable length cm	507	556	576	576	576	659	659
Total width cm	232	232	232	250	250	250	250
max. Height cm	266	266	266	266	266	265	265
Headroom cm	198	198	198	198	198	198	198
Sleeping spaces	4	4	4	4	4	4	4
Bed surface at front cm	140 x 200	1x85x190/1x85x200	1x85x210/1x85x200	142/121 x 224	1x90x210/1x90x200	162/151 x 230	162/151 x 224
Bed surface at rear cm	144/142 x 210	137/142 x 210	152/142 x 210	150 x 190	152/142 x 230	-	-
Bed surface in middle cm	-	-	-	-	-	190 x 150	190 x 150
Bunk bed surface cm	-	-	-	-	-	-	-
Technically permitted total mass kg	1500 ^{a)}	1700 ^{a)}	1700 ^{a)}	1800 ^{a)}	1800 ^{a)}	2000 ^{a)}	2200 ^{a)}
Dead weight kg ^{b)}	1274	1394	1418	1508	1474	1683	1721
Basic equipment kg ^{a)}	53	53	53	53	53	45	45
Mass in running the road kg ^{c)}	1327	1447	1471	1561	1527	1728	1766
Vehicle load capacity kg ca.	173	253	229	239	273	272	434
Floor/roof/wall thickness mm	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31
Tyres ⁱ⁾	205/65 R 15	195/70 R 15 C	195/70 R 15 C	205/70 R 15 C	205/70 R 15 C	185/65 R 14	195/65 R 15
Single/tandem axle	1	1	1	1	1	2	2
Awning circumference cm ^{v)}	962	1017 ^{a) i)}	1030 ^{a)}	1034 ^{a)}	1034 ^{a)}	1119 ^{a)}	1126

DIAMANT

	560 DW	560 SGW	650 GDW
Total length cm	771	771	860
Body length cm	656	656	746
Usable length cm	563	563	654
Total width cm	250	250	250
max. Height cm	266	266	265
Headroom cm	198	198	198
Sleeping spaces	4	4	4
Bed surface at front cm	144/116 x 230	2 x 90 x 200	178/146 x 230
Bed surface at rear cm	155 x 195	141/143 x 230	2 x 90 x 205
Bed surface in middle cm	-	-	-
Bunk bed surface cm	-	-	-
Technically permitted total mass kg	1900 / 2000 ^{b) g)}	1900 / 2000 ^{b) g)}	2200 ^{g)}
Dead weight kg ^{b)}	1634	1620	1895
Basic equipment kg ^{a)}	45	53	53
Mass in running the road kg ^{c)}	1679	1673	1948
Vehicle load capacity kg ca.	221 / 321 ^{b)}	227 / 327 ^{b)}	252
Floor/roof/wall thickness mm	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31
Tyres ⁱ⁾	215/70 R 15 C	215/70 R 15 C	195/65 R 15
Single/tandem axle	1	1	2
Awning circumference cm ^{v)}	1027	1027	1116

APERIO • BIANCO • TENDENZA • DIAMANT



+++ 12-year warranty on the imperviousness of the body connections: this warranty is only valid in connection with the annual, fee-based inspection carried out at your authorised Fendt Caravan dealer +++
 Certified to ISO 9001:2015 +++ Environmental management certification according to ISO 14001:2015 + ++ Metallic paintwork +++ 47 mm floor thickness for optimal insulation values +++ Drain cocks for convenient emptying of the water pipes +++ Solid, screwed connections +++ Two-part sidewall panel +++ Sturdy furniture made of multi-glued plywood +++ Extra robust hinges, positioners and locks +++ 2-pole residual current device/safety switch with 30mA

Legend:

- 100% filled aluminium gas cylinder (11 kg), fresh water tank with 10-litre "when-driving" fill level, 100% filled toilet flushing tank, 100% filled water heater
- The dead weight reflects the vehicle weight with standard fittings without water, gas or other accessories
- The mass in running order was determined according to Regulation (EU) No 1230/2012, taking into account the "when-driving" fill level of the fresh water tank, the 100% filled toilet flushing tank, the 100% filled water heater, and a 100% filled aluminium gas cylinder (11 kg)
- Fresh water tank capacity within the meaning of Annex V, part A, no.2.6 fn (h) of Regulation (EU) 1230/2012, taking into account the movement limitation (discharge nozzle on the fresh water tank) 10 l ("when driving" fill level)
- Capacity of the fresh water tank max. 25 litres or 45 litres, taking into account the discharge nozzle on the fresh water tank
- Additional weight variants are possible by installing a new chassis – your Fendt Caravan dealer will be happy to provide you with information
- Increased load capacity
- Alternative tyre sizes are permitted to the manufacturer
- For weight variant 1800 kg: awning circumference 1015 cm
- For weight variant 1800 kg: awning circumference 1034 cm
- For weight variant 1900/2000 kg: awning circumference 987 cm
- For weight variant 1900/2000 kg: awning circumference 1019 cm
- For weight variant 1900/2000 kg: awning circumference 1039 cm
- For weight variant 2400/2500 kg: awning circumference 1196 cm
- For weight variant 2200/2400/2500 kg: awning circumference 1126 cm
- The specification of this circumference may not be sufficient to select the appropriate awning, under certain circumstances. The specified circumference only applies to awnings that are fully drawn into the existing keder strip of the caravan. The circumference may vary due to special equipment, tire size and load. We recommend measuring the caravan individually in each case in order to determine an exact circumference appropriate for the type of awning

Important information:

The catalogue and the price list reflect the status of the series at the time of printing. Despite the contents having been checked, printing errors cannot be ruled out. Over the course of the model year, we reserve the right to make changes to the equipment and fittings and product improvements. Differences in colour due to printing and photography cannot be completely ruled out.

The models depicted in the catalogue and in the price list sometimes contain special fittings or decorations that are not part of the standard scope of delivery. Where weights are specified, deviations of up to +/- 5 percent are possible due to the processing of natural materials. When accessories are installed, the mass in running order is increased.

Attachments to the vehicle may influence the drawbar load. All dimensions are non-binding and may be subject to minor changes.

Information on masses and weights is given in accordance with Regulation (EU) 1230/2012, unless otherwise specified in the catalogue, including technical specifications and price list.

Caution: Axle and drawbar loads must be observed, and the technically permissible overall mass be adhered to. Adherence to the permissible masses and loads is to be ensured by distributing the load throughout the vehicle. Fittings and equipment may influence the payload or vehicle load capacity by increasing/decreasing the dead weight. It should be noted that this can reduce the vehicle load capacity, depending on the fittings and equipment. The vehicle load capacity corresponds to the difference between the technically permissible total mass and the mass in running order. This value must take into account the masses for special accessories and personal equipment.

The technically permissible total mass in the loaded state must never be exceeded. Please ask your Fendt Caravan dealer if necessary.

We reserve the right to make changes to prices, constructional details and fittings.

LAYOUTS AND DIMENSIONS

FENDT

CARAVAN

Fendt-Caravan GmbH • Postfach 1135 • D-86689 Mertingen
Tel.+49 (0) 90 78 / 96 88 - 0 • Fax +49 (0) 90 78 / 96 88 - 406

concept & design: www.sewald.com - foto: www.zuckerfabrik.com



2024

www.fendt-caravan.com (Find us on Facebook, Instagram, YouTube)